



Venue specs. Hamar kulturhus, Kirsten Flagstad-salen – updated October 2022




Kirsten Flagstad-salen (KF) is a straight hall, approx 33m (length) x 18m (width) x 13m (height). The audience is either all seated (486) capacity or a combination of standing and seated (872 capacity) There are 19 rows of mostly 27 seats per row.

KF, seated setting:



Stage, all seated setting



486 seats, seen from the stage

KF, standing / seated setting:



Concert in KF, 700 people standing



Audience area seen from stage, standing area in front, 172 seats at the back of the hall



Stage area:

Seated concerts: 12,5m (width) x 10m (depth)

Standing audience: Built with Nivtec platforms: 12m x 8m x 1,2m

Sound system:

PA: Meyersound Mina, 13 a side + 4x 1100 LFC subs, mono center

Mixing consoles: Midas HD96 1pcs or Midas PRO2C 2pcs

Monitor wedges: Turbosound TFM 115 16pcs

Radio mics: 8pcs Shure UFH R handheld mics – Shure beta58 4pcs / Shure ksm-9 4pcs

Microphones, DI's: Shure, AKG, Sennheiser, Klark Teknik – normal selection for bands

Lighting system:

Mixing console: GrandMA3 Light

Front: 8pcs VL1100 TSD + 8pcs 2kW ADB profil

Roof: 15 Martin Viper profil, 18 Martin Aura XB, 4 Clay Paky Stormy CC, 7 two lights

Floor: 8 Martin Viper AIR FX, 24 Martin Aura, 4 Stormy CC, 6 two lights

Lighting plot can be sent on request

Video: On request

Technical roof:

30 flybars, positioned mostly every 25cm above the stage area,

Length – 12m

Maximum height – 12,6m

Capacity each bar – 500kgs, 180kgs point load.

Full set of black legs and borders

Technical drawings: On request